## **Evidence of Performance**

Lever handles and knob furniture as per EN 1906: 2012

Test Report No. 20-001645-PR02 (PB-G03-03-en-01) ROSENHEIM

Client

KAYA-PEN PLASTIK SAN. VE TIC. LTD. STI. OSB 8 CAD. No: 5

57000 MERKEZ / SINOP

Turkey

Product

Door handle

Designation

Aluminum Door Handle

ALM.Safir 25x200 Kapi Kolu - KP0131.101

Performance-relevant product details

Material: Aluminum alloy Bearing: Turnable - fixed

Distance: 85 mm Spindle: 8 mm

Material of spindle: Steel Screwing distance: 200 mm

According to installation instruction from hardware

Installation

manufacturer

Missing explosion and details drawings including (indication

of materials and measurements)!

Special features

Results

Cassification according to EN 1906: 2012

Category of Fire Durability Door mass use re		nsistance		Safety	Corrosion resistance	Security	Type of operation
	usere	esistance					
2	6	-/-	0	0	5	0	В

ift Rosenheim 02.12.2021

Konrad Querengässer, Dipl.-Ing. (FH) **Head of Testing Department** Security/Safety Testing

W. Cemptin

Erwin Heimbuchner **Operating Testing Officer** Security/Safety Testing

Basis

EN 1906: 2012 Testing standards: EN 1906: 2012

Correspond/s to the national standard/s (e.g. DIN EN)

Representation



This test report serves to demonstrate the requirements for lever handles and knobs furniture as per

EN 1906: 2012.

## Validity

The data and results given relate solely to the tested/described specimen. Classification remains valid as long as the product and the above basis remain unchanged. The result can be extrapolated in accordance with the specifications given in the product standard under the manufacturer's responsibility. This test/evaluation does not allow any statement to be made on further characteristics of the present structure regarding performance and quality, in particular the effects of weathering and ageing.

Notes on publication

The ift-Guidance Sheet "Advertising with ift test documents" applies. The cover sheet can be used as an abstract.

The report contains a total of 2 pages.







